## **EAST Search History**

## **EAST Search History (Prior Art)**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	15	(US-20030093680-\$ or US-20030212892-\$ or US-20040078571-\$).did. or (US-7395435-\$ or US-7024695-\$ or US-6173400-\$ or US-7363500-\$ or US-5872917-\$ or US-5751812-\$).did. or (US-20050120213-\$ or US-20030084170-\$ or US-7191467-\$ or US-20050071677-\$ or US-6535980-\$ or US-20030159041-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2009/08/17 00:39
82	3	(Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng \$4 Respons\$4) hash (((loss with connection) or termina\$4 or disconnect \$4) with session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/08/17 00:41
S3	0	S2 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 00:42
<b>S</b> 4	1	(Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng \$4 Respons\$4) hash (((loss with connection) or termina\$4 or disconnect \$4) with session) kerbros	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 00:57

<b>S</b> 5	3	11.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/08/17 00:57
S6	0	S5 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 00:57
<b>S</b> 7	2	phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 00:58
S8	1	S7 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 00:58
S9	0	maximum iterative value	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 01:01
S10	33	maximum iterative	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 01:01
S11	11	S10 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:01

S12	2795	(maximum with iterative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 01:02
S13	2795	(maximum with iterative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 01:02
S14	671	(maximum with iterat\$4) expir\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:03
S15	5	(maximum with iterat\$4) expir\$6 credential session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:03
S16	5	S15 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:03
S17	286	(maximum with iterat\$4) expir\$6 session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:04
S18	1147	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:09
S19	5	(maximum with iterat\$4) expir\$6 session (((loss with connection) or termina\$4 or disconnect \$4) session) credential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:10

S20	5	S19 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:10
S21	0	(maximum with iterat\$4) expir\$6 session (((loss with connection) or termina\$4 or disconnect \$4) with resume) credential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:15
S22	15	(US-20030093680-\$ or US-20030212892-\$ or US-20040078571-\$).did. or (US-7395435-\$ or US-7024695-\$ or US-6173400-\$ or US-7363500-\$ or US-5872917-\$ or US-5751812-\$).did. or (US-20050120213-\$ or US-20030084170-\$ or US-7191467-\$ or US-20050071677-\$ or US-6535980-\$ or US-20030159041-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2009/08/17 01:16
S23	0	S22 (((loss with connection) or termina\$4 or disconnect\$4) with resume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:16
S24	8	S22 (((loss with connection) or termina\$4 or disconnect\$4) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:16
S25	2797	credential session ((termina\$4 with connection) or disconnect \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:27
S26	26	( credential session ((termina\$4 with connection) or disconnect \$4) ).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:27

S27	7	S26 @ad< "20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:27
S28	17	(US-20030093680-\$ or US-20040078571-\$ or US-20040068572-\$).did. or (US-7395435-\$ or US-7024695-\$ or US-7363500-\$ or US-5872917-\$ or US-5751812-\$ or US-6973482-\$).did. or (US-20050120213-\$ or US-20030084170-\$ or US-20050071677-\$ or US-6535980-\$ or US-20030159041-\$).did.	US-PGPUB; USPAT; DERWENT	AND	00 0	2009/08/17 01:44
S29	0	S28 ( credential same session same ((termina\$4 with connection) or disconnect\$4) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:45
S30	0	S28 ( credential same ((termina\$4 with connection) or disconnect \$4) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:45
S31	15	(US-20030093680-\$ or US-20030212892-\$ or US-20040078571-\$).did. or (US-7395435-\$ or US-7024695-\$ or US-6173400-\$ or US-7363500-\$ or US-5872917-\$ or US-5751812-\$).did. or (US-20050120213-\$ or US-20030084170-\$ or US-7191467-\$ or US-20050071677-\$ or US-6535980-\$ or US-20030159041-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2009/08/17 02:07

S32	3	(Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng \$4 Respons\$4) hash (((loss with connection) or termina\$4 or disconnect \$4) with session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/08/17 02:07
S33	0	S2 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
<b>S34</b>	1	(Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng \$4 Respons\$4) hash (((loss with connection) or termina\$4 or disconnect \$4) with session) kerbros	US-PGPUB; AND  j USPAT; j USOCR; FPRS; EPO; JPO; DERWENT; ng IBM_TDB		ON	2009/08/17 02:07
\$35	3	(Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng \$4 Respons\$4) hash (((loss with connection) or termina\$4 or disconnect \$4) with session)	or Token\$4 or US-PGPUB; SAME  USPAT; USPAT; USCOR; FPRS; Secret adj USCOR; FPRS; Secret adj EPO; JPO; DERWENT;		ON	2009/08/17 02:07
S36	0	S5 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
<b>S37</b>	2	( (Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng \$4 Respons\$4) hash (((loss with connection) or termina\$4 or disconnect \$4) with session) ).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07

<b>S38</b>	1	S7 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S39	0	maximum iterative value	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 02:07
S40	33	maximum iterative	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 02:07
S41	11	S10 @ad< "20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S42	2795	(maximum with iterative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 02:07
S43	2795	(maximum with iterative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 02:07
S44	671	(maximum with iterat\$4) expir\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S45	5	(maximum with iterat\$4) expir\$6 credential session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07

S46	5	S15 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S47	286	(maximum with iterat\$4) expir\$6 session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S48	1147	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S49	5	(maximum with iterat\$4) expir\$6 session (((loss with connection) or termina\$4 or disconnect \$4) session) credential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S50	5	S19 @ad< "20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S51	0	(maximum with iterat\$4) expir\$6 session (((loss with connection) or termina\$4 or disconnect \$4) with resume) credential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
<b>S</b> 52	15	(US-20030093680-\$ or US-20030212892-\$ or US-20040078571-\$).did. or (US-7395435-\$ or US-7024695-\$ or US-6173400-\$ or US-7363500-\$ or US-5872917-\$ or US-5751812-\$).did. or (US-20050120213-\$ or US-20030084170-\$ or US-7191467-\$ or US-20050071677-\$ or US-6535980-\$ or US-20030159041-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2009/08/17 02:07

S53	0	S22 (((loss with connection) or termina\$4 or disconnect\$4) with resume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S54	8	S22 (((loss with connection) or termina\$4 or disconnect\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S55	2797	credential session ((termina\$4 with connection) or disconnect \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S56	26	( credential session ((termina\$4 with connection) or disconnect \$4) ).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S57	7	S26 @ad< "20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S58	17	(US-20030093680-\$ or US-20030212892-\$ or US-20040078571-\$ or US-20040068572-\$).did. or (US-7395435-\$ or US-7024695-\$ or US-6173400-\$ or US-7363500-\$ or US-5872917-\$ or US-5751812-\$ or US-6973482-\$).did. or (US-20050120213-\$ or US-20030084170-\$ or US-7191467-\$ or US-20050071677-\$ or US-6535980-\$ or US-20030159041-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2009/08/17 02:07
S59	0	S28 ( credential same session same ((termina\$4 with connection) or disconnect\$4) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07

S60	 S28 ( credential same	US-PGPUB;	AND	ON	2009/08/17
	 ((termina\$4 with	USPAT;			02:07
	 connection) or disconnect	USOCR; FPRS;			
	 \$4) )	EPO; JPO;			
		DERWENT;			
		IBM_TDB			

## **EAST Search History (Interference)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S61	334	(Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng\$4 Respons\$4) hash (((loss with connection) or termina \$4 or disconnect\$4) with session)	USPAT; UPAD	AND	ON	2009/08/17 00:42
S62	1	( (Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng\$4 Respons\$4) hash (((loss with connection) or termina \$4 or disconnect\$4) with session) ).clm.	USPAT; UPAD	AND	ON	2009/08/17 00:43
S63	236	S61 @ad<"20031224"	USPAT; UPAD	AND	ON	2009/08/17 00:44
S64	47	(Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng\$4 Respons\$4) hash (((loss with connection) or termina \$4 or disconnect\$4) with session) iterat\$4 period\$5	USPAT; UPAD	AND	ON	2009/08/17 00:44
S65	32	S64 @ad<"20031224"	USPAT; UPAD	AND	ON	2009/08/17 00:45

<b>S</b> 66	O	(Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng\$4 Respons\$4) hash (((loss with connection) or termina \$4 or disconnect\$4) with session)	USPAT; UPAD	SAME	ON	2009/08/17 00:58
S67	1	( (Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng\$4 Respons\$4) hash (((loss with connection) or termina \$4 or disconnect\$4) with session) ).clm.	USPAT; UPAD	AND	ON	2009/08/17 00:58
S68	131	(maximum with iterat\$4) expir\$6 session	USPAT; UPAD	AND	ON	2009/08/17 01:05
S69	10	(maximum with iterat\$4) expir\$6 session (((loss with connection) or termina\$4 or disconnect\$4) with session)	USPAT; UPAD	AND	ON	2009/08/17 01:06
S70	8	S69 @ad<"20031224"	USPAT; UPAD	AND	ON	2009/08/17 01:06
S71	126	(maximum with iterat\$4) expir\$6 session (((loss with connection) or termina\$4 or disconnect\$4) session)	USPAT; UPAD	AND	ON	2009/08/17 01:08
S72	85	S71 @ad<"20031224"	USPAT; UPAD	AND	ON	2009/08/17 01:09
S73	1054	"380".clas. "726".clas. "713".clas.	USPAT; UPAD	AND	ON	2009/08/17 01:09
S74	1054	"380".clas. "726".clas. "713".clas.	USPAT; UPAD	AND	ON	2009/08/17 01:09
S75	0	S72 S74	USPAT; UPAD	AND	ON	2009/08/17 01:10
S76	0	(maximum with iterat\$4) expir\$6 session (((loss with connection) or termina\$4 or disconnect\$4) session) credential	USPAT; UPAD	AND	ON	2009/08/17 01:10

S77	334	(Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng\$4 Respons\$4) hash (((loss with connection) or termina \$4 or disconnect\$4) with session)	USPAT; UPAD	AND	ON	2009/08/17 02:07
S78	1	( (Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng\$4 Respons\$4) hash (((loss with connection) or termina \$4 or disconnect\$4) with session) ).clm.	USPAT; UPAD	AND	ON	2009/08/17 02:07
S79	236	S61 @ad<"20031224"	USPAT; UPAD	AND	ON	2009/08/17 02:07
S80	47	(Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng\$4 Respons\$4) hash (((loss with connection) or termina \$4 or disconnect\$4) with session) iterat\$4 period\$5	USPAT; UPAD	AND	ON	2009/08/17 02:07
S81	32	S64 @ad< "20031224"	USPAT; UPAD	AND	ON	2009/08/17 02:07
S82	0	(Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng\$4 Respons\$4) hash (((loss with connection) or termina \$4 or disconnect\$4) with session)	USPAT; UPAD	SAME	ON	2009/08/17 02:07

S83	1	((Ticket\$5 or Token\$4 or Password\$2 or (Pass adj phrase\$2) or (Secret adj code) or (Secret adj word) or PIN or Login\$2 or Credentia\$4) (Challeng\$4 Respons\$4) hash (((loss with connection) or termina \$4 or disconnect\$4) with session) ).clm.	USPAT; UPAD	AND	ON	2009/08/17 02:07
S84	131	(maximum with iterat\$4) expir\$6 session	USPAT; UPAD	AND	ON	2009/08/17 02:07
S85	10	(maximum with iterat\$4) expir\$6 session (((loss with connection) or termina\$4 or disconnect\$4) with session)	USPAT; UPAD	AND	ON	2009/08/17 02:07
S86	8	S69 @ad<"20031224"	USPAT; UPAD	AND	ON	2009/08/17 02:07
S87	126	(maximum with iterat\$4) expir\$6 session (((loss with connection) or termina\$4 or disconnect\$4) session)	USPAT; UPAD	AND	ON	2009/08/17 02:07
S88	85	S71 @ad<"20031224"	USPAT; UPAD	AND	ON	2009/08/17 02:07
S89	1054	"380".clas. "726".clas. "713".clas.	USPAT; UPAD	AND	ON	2009/08/17 02:07
S90	1054	"380".clas. "726".clas. "713".clas.	USPAT; UPAD	AND	ON	2009/08/17 02:07
S91	0	S72 S74	USPAT; UPAD	AND	ON	2009/08/17 02:07
S92	0	(maximum with iterat\$4) expir\$6 session (((loss with connection) or termina\$4 or disconnect\$4) session) credential	USPAT; UPAD	AND	ON	2009/08/17 02:07

8/17/2009 2:14:30 AM

C:\ Documents and Settings\ tgergiso\ My Documents\ EAST\ Workspaces\ 10743796 \ 10743796 Update.wsp